

Unveiling the Silent Struggle: Navigating the Unseen Realities of Spinal Injuries

Beyond the wheelchair lies a world of potential, where those with spinal injuries redefine what it means to live life to the fullest.

In the intricate tapestry of human health, the spine stands as an unsung hero, a guardian of mobility and an architectural masterpiece supporting the edifice of our bodies. Yet, when the threads of this delicate structure are frayed by fate, the consequences are far-reaching and life-altering. Today, we delve into the compelling realm of spinal injuries, a domain where silent battles unfold, leaving indelible imprints on the lives of those affected.

The World Health Organization (WHO) estimates that globally, around 250,000 to 500,000 people suffer spinal cord injuries every year. The incidence rates vary significantly by region. Factors such as road safety, healthcare infrastructure, and preventive measures influence these variances. Motor vehicle accidents, falls, violence, and sports injuries are among the leading causes of spinal cord injuries globally. In conflict zones, bullet injuries also add to the list. Young adults are more susceptible to spinal injuries, with a higher prevalence among males than females. Spinal injuries often pose additional challenges in developing countries due to limited access to healthcare, rehabilitation, and preventative measures.¹⁻³

The scenario of spinal injuries is different. Unlike visible wounds that garner immediate sympathy, spinal injuries often conceal their magnitude beneath the surface. It is a silent struggle, one that demands our attention, empathy, and collective commitment to understanding the challenges faced by those whose lives have been forever changed by an injury to the spinal cord.

As we embark on this exploration, we unveil the unseen

realities that accompany spinal injuries – the physical pain, the emotional turmoil, and the profound transformations that shape the narratives of countless individuals. Join us on this journey of awareness, compassion, and advocacy as we shed light on the multidimensional impact of spinal injuries and endeavour to bridge the gap between understanding and action.

In our lead article in this issue fall from height (80.17%) was the most common cause of spinal injury followed by road traffic accidents (19.83%). Paraplegics outnumbered quadriplegics. Neuro-rehabilitation goes a long way to offer hope for these patients who are otherwise afflicted with a long-life disability. The government-affiliated institutions and NGOs have a significant role to play. Adjusting to life with a spinal injury involves coping with the emotional toll of altered self-perception, potential social isolation, and the constant need for assistance. The mental strength required to confront the stark contrast between pre-injury and post-injury life cannot be overstated. Depression, anxiety, and a sense of loss are common emotional struggles that require resilient coping mechanisms.

Financial challenges add another layer of complexity. The costs associated with medical treatments, assistive devices, home modifications, and ongoing rehabilitation can be overwhelming. Employment opportunities may diminish, exacerbating financial strain. The financial burden, coupled with the emotional toll, creates a multifaceted challenge that demands comprehensive support systems. In essence, spinal injuries redefine every aspect of an individual's life, posing challenges that are not only physical but also emotional and financial. Recognizing and addressing these multifaceted hurdles is crucial to providing comprehensive care and support for those navigating the complex aftermath of spinal injuries.⁴⁻⁶

Access this article online



Website:
www.jmsskims.org

DOI:
<https://doi.org/10.33883/jms.v27i1.1326>

How to cite this article: Khurshid N. Unveiling the Silent Struggle: Navigating the Unseen Realities of Spinal Injuries. JMS 2024; 27 (1)1-3

Received: 2024-02-05 Accepted: 2024-02-10

In recent years, there have been notable advancements in the treatment and rehabilitation of spinal injuries, offering new hope to individuals grappling with the life-altering consequences of such injuries. Medical interventions, surgical procedures, and emerging technologies play pivotal roles in this evolving landscape. Research continues to explore medications that can mitigate secondary complications and promote neural recovery following spinal injuries.

Stem cell therapy and regenerative techniques hold promise for spinal cord repair.

Implantable devices and neural interfaces are being developed to bridge the communication gap between the brain and spinal cord. These devices aim to restore lost functions by interpreting neural signals and translating them into actions. Wearable robotic devices, such as exoskeletons, enable individuals with spinal injuries to regain mobility. These devices are designed to enhance rehabilitation efforts and support daily activities. Also virtual reality (VR) and augmented reality (AR) technologies are being integrated into rehabilitation programs to enhance engagement and promote neuroplasticity. These immersive technologies offer a dynamic and interactive approach to therapy. Implanted epidural stimulators are showing promise in restoring voluntary movement and function. These devices deliver electrical impulses to the spinal cord, essentially bypassing damaged areas and facilitating motor control. Advances in gene therapy are exploring the potential to repair damaged spinal cords at a molecular level. Researchers are investigating ways to introduce therapeutic genes to enhance neural regeneration.⁷

The multidimensional nature of spinal injuries, affecting both physical and emotional well-being, necessitates comprehensive and often long-term care. Here are some of the key challenges⁸:

- Specialized spinal injury care centres are not universally accessible, leading to geographical disparities in the availability of expertise and resources. Individuals in rural or underserved areas may struggle to access specialized care promptly.

- The extensive medical interventions, surgeries, and ongoing rehabilitation required for spinal injuries impose a

substantial financial burden on healthcare systems. Limited resources may affect the availability of advanced treatments and comprehensive care.

- Assistive technologies such as wheelchairs, adaptive vehicles, and communication devices are essential for individuals with spinal injuries. However, these technologies can be expensive, and insurance coverage may not fully address the costs, leaving individuals to navigate financial challenges.

- Rehabilitation programs for spinal injuries are often long-term and encompass physical therapy, occupational therapy, and psychological support. The cumulative costs of these services can strain both individuals and healthcare systems, impacting the accessibility of continuous and comprehensive care.

- Individuals with spinal injuries often face mental health challenges, including depression and anxiety. Access to mental health services may be limited, and the stigma surrounding mental health issues can create barriers to seeking and receiving appropriate care.

- Spinal injuries frequently result in changes to employment status and income loss. Reduced financial capacity can impact an individual's ability to afford healthcare, rehabilitation, and assistive devices, exacerbating the overall financial strain.

- Spinal injuries often require long-term care and support, including assistance with daily activities. The costs associated with hiring caregivers or utilizing long-term care facilities contribute to the financial challenges faced by individuals and their families.

Addressing these challenges requires a coordinated effort from healthcare systems, policymakers, and support organizations. Advocacy for improved accessibility to specialized care, financial assistance programs, and increased insurance coverage is crucial to ensuring that individuals with spinal injuries can receive the comprehensive and sustained care they need to enhance their quality of life. Preventing spinal injuries is paramount, and raising awareness about the causes and preventive measures is essential for minimizing the impact of these injuries. Public awareness campaigns, creating safe work environments, advocating for sports safety, targeting high-risk groups, supporting legislation and regulations,

community engagement and first-aid training are the key measures for preventing spinal injuries. By emphasizing preventive strategies, promoting safety measures, and fostering a culture of awareness, communities can reduce the incidence of spinal injuries. Collaboration between government agencies, healthcare providers, and advocacy groups is essential in implementing and sustaining effective prevention initiatives, ultimately enhancing the overall well-being of individuals and preventing the often life-altering consequences of spinal injuries.

REFERENCES

1. Karamehmetoglu SS, Unal S, Karacan I, Yilmaz H, Togay HS, Ertekin M, et al. Traumatic spinal cord injuries in Istanbul Turkey. An epidemiological study. *Paraplegia* 1995; 33: 469–71.
2. Ning GZ, Wu Q, Li YL, Feng SQ. Epidemiology of traumatic spinal cord injury in Asia: a systematic review. *J Spinal Cord Med.* 2012 Jul;35(4):229-39.
3. Van den Berg ME, Castellote JM, Mahillo-Fernandez I, de Pedro-Cuesta J. Incidence of spinal cord injury worldwide: a systematic review. *Neuroepidemiology.* 2010;34(3):184-92.
4. Liu J, Liu HW, Gao F, Li J, Li JJ. Epidemiological features of traumatic spinal cord injury in Beijing, China. *J Spinal Cord Med.* 2022 Mar;45(2):214-220.
5. Johansson E, Luoto TM, Vainionpää A, Kauppila AM, Kallinen M, Väärälä E, Koskinen E. Epidemiology of traumatic spinal cord injury in Finland. *Spinal Cord.* 2021 Jul;59(7):761-768.
6. Tanki H, Khursheed N, Khan A, Ganie M, Ramzan A, Tanki F, Wani A.. Long-Term Outcomes of Paraplegics in a Resource-Limited Society: Are We Doing Enough?. *Indian Journal of Neurotrauma.* 2015;12(2): DOI <http://dx.doi.org/10.1055/s-0035-1569469>.ISSN 0973-0508.
7. Montoto-Meijide R, Meijide-Faílde R, Díaz-Prado SM, Montoto-Marqués A. Mesenchymal Stem Cell Therapy in Traumatic Spinal Cord Injury: A Systematic Review. *Int J Mol Sci.* 2023 Jul 20;24(14):11719.
8. Unger J, Chan K, Scovil CY, Craven BC, Mansfield A, Masani K, Musselman KE. Intensive Balance Training for Adults With Incomplete Spinal Cord Injuries: Protocol for an Assessor-Blinded Randomized Clinical Trial. *Phys Ther.* 2019 Apr 1;99(4):420-427.

Dr. Nayil Khurshid, MCh

Professor,

Department of Neurosurgery, SKIMS